



## Front Load Containers

### 2-8 Yard Flat/Slant



#### **Specifications**

- 10 gauge floor
- 12 gauge body
- 7 gauge side pockets
- 7 gauge rounded front bump plates
- 10 ga bottom channels with caps front and rear
- Interlocking 10 ga front/back top channels
- 11/2" drain flange with PVC plug
- · Primed inside and outside
- · Painted outside

#### **Other Options:**

- Casters (swivel, rigid, locking)
- Quick release caster pads
- · Automatic lid locks
- Manual lid locks
- Heavy duty options
- Other models available on request

#### **Feature and Benefits**

- Pocket design
  - Flared fork entry on front of pockets to guide forks
  - Integrated non-step top slope
  - Integrated top/bottom gusset at rear of pocket to prevent damage during dump operations
  - Fully welded pockets extending life cycle of container
- Rounded bumpers smoothly aligns forks to pockets
- Floor channels capped both front and rear to eliminate rocks entering channel causing damage to trucks
- Interlocking top channel design adds strength extending life cycle of container
- Interior of container body is welded solid to prevent leakage and increase strength of container
- Nestable designs standard on 2-4 yard models to minimize freight cost and storage space requirements
- 6-8 yard sliding door flat models
- Front channel welded solid inside to prevent spillage and streaking on front of container during dumping operations
- · Safety decals and corner reflectors installed on all units prior to delivery
- Containers fully primed with exterior painting to prevent premature rusting



www.keystonesynergy.com


Call: (817) 636-3350





# Front Load Containers

### **Front Load Flat**









# Front Load Containers

### **Front Load Slant**

